



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

TB

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/070,524	07/16/2002	John Fisher	1781-0003	7210

7590

06/18/2003

Paul J Maginot
Maginot Moore & Bowman
Bank One Center/Tower Suite 3000
111 Monument Circle
Indianapolis, IN 46204-5130

EXAMINER

SNOW, BRUCE EDWARD

ART UNIT	PAPER NUMBER
----------	--------------

3738

DATE MAILED: 06/18/2003

9

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/070,524

Applicant(s)

FISHER ET AL.

Examiner

Bruce E Snow

Art Unit

3738

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-11 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on ____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.


Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 7-8.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: .

DETAILED ACTION

Claim Rejections - 35 USC § 102

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

 Claims ¹⁻⁸ are rejected under 35 U.S.C. 102(b) as being clearly anticipated by

Caldarise (5,641,323).

Caldarise teaches an orthopedic joint comprising first and second articulating components having contacting bearing surfaces. The components are metal/ceramic wherein the metal can be cobalt-chromium alloys, titanium-vanadium alloy, or stainless steel and the ceramic can be alumina, zirconia, etc. Inherently, all claimed hardness limitations are met.

Regarding claim 5, zirconia ~~see~~ zirconium oxide, for example.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 9-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Caldarise (5,641,323) in view of Davidson (5,037,438).

Caldarise teaches the orthopedic joint as described above however is silent regarding the material of the bearing surface of least component being a surface layer. Davidson teaches an orthopedic joint wherein zirconia can be applied as a surfaces

Art Unit: 3738

layer. It would have been obvious to one having ordinary skill in the art to have substituted a component having a surface layer of zirconia as taught by Davidson for the ceramic component of Caldarise wherein the underlying material, such as a metal, can better transfer heat away from the articulating surface increasing wear or said underlying material is cheaper/easier to manufacture.

See 2:67 teaching thickness of 50-300 microns.

Regarding claim 11, it is well known in the art that articulating surfaces of orthopedic joints should have little or no surface roughness to increase wear. It would have been obvious to one having ordinary skill in the art to have done so with the device of Caldarise in view of Davidson.

Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Caldarise (5,641,323) in Farrar (EP 0841041).

Caldarise teaches the orthopedic joint as described above however is silent regarding the surface roughness of each of the bearing surfaces. Farrar teaches the articulating surfaces of an orthopedic joint should be minimized; see 2:26-42. It would have been obvious to one having ordinary skill in the art to have minimized the surface roughness as taught by Farrar on the joint of Caldarise to "minimize wear".

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.


Art Unit: 3738

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bruce E Snow whose telephone number is (703) 308-3255. The examiner can normally be reached on Mon-Thurs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on (703)308-2111. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305-3590 for regular communications and (703) 305-3590 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0858.

bes
June 11, 2003



BRUCE SNOW
PRIMARY EXAMINER